



1 / 6





FIG. 1

40







4 / 6




FIG. 3



5/6

POSITION INDEX		420 DELAY	425 1	430 $z^{-0.5}$	435 $z^{-1}$	440 $z^{-1.5}$
0		48/32	0	0	768	0
1		47/32	-15	63	735	-15
2		46/32	-28	124	700	-28
3		45/32	-39	183	663	-39
4		44/32	-48	240	624	-48
5		43/32	-55	295	583	-55
6		42/32	-60	348	540	-60
7		41/32	-63	399	495	-63
8		40/32	-64	448	448	-64
9		39/32	-63	495	399	-63
10		38/32	-60	540	348	-60
11		37/32	-55	583	295	-55
12		36/32	-48	624	240	-48
13		35/32	-39	663	183	-39
14		34/32	-28	700	124	-28
15		33/32	-15	735	63	-15
16		32/32	0	0	768	0
17		31/32	-15	63	735	-15
18		30/32	-28	124	700	-28
19		29/32	-39	183	663	-39
20		28/32	-48	240	624	-48
21		27/32	-55	295	583	-55
22		26/32	-60	348	540	-60
23		25/32	-63	399	495	-63
24		24/32	-64	448	448	-64
25		23/32	-63	495	399	-63
26		22/32	-60	540	348	-60
27		21/32	-55	583	295	-55
28		20/32	-48	624	240	-48
29		19/32	-39	663	183	-39
30		18/32	-28	700	124	-28
31		17/32	-15	735	63	-15

FIG. 4



6/6




FIG. 5




FIG. 6